# Edit players, create start list

To open the start list editor go to **Competitions/Enter players, setup start list** or click **Player** while working in the main competition mask:

		1. Round - 25.03.20					—		×
ompetition	Enter detai	ils Sort + Structur	e Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
<b>Group: 1/1</b> Tee Time	- Player: 17 Abbr. N			НСР	Club		natic size Pri	Undo per flight:	3
1 0:00	ADDI. N		⊴→	псг	Ciub		FII	ui.	٠.
Stop loadir	_	Stop removing	□ Stop	swapping					

## Enter the players directly in the competition mask

Enter all registrations for the tournament. Go to the column **Abbr.** There are a few possible ways to add a player:

- Search abbreviation of the person (for example, "teti" for Tester Tina)
- Last or first name (Tester or Tina)

• 3 letters of the last name, 2 letters of the first name (Tes, Ti).

PC CADDIE will immediately show all matches and you can select the correct match and confirm your selection with enter. To enter a new person, you can directly choose **»Register NEW PERSON**«, hit the key **F9** or enter "n" or "new", and an empty mask for entering a new person will appear.

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					-		×
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: 1/ 1	- Player: 1/ 1						<b>.</b>	<u>U</u> ndo	
Tee Time	Abbr. Nam	e		НСР	Club	autor	natic size Pr	e per flight ior.	: 3
1 0:00	teti		<u>q</u> →						
		NEW PERSON <<							
	Tester, Timo		Guest			teti;t			te
	Tester, Timo Tester, Ti		9002/0	Suest		tet2			te
, Stop loadir	ng 🔽 S	top removing	🔲 Stop :	swapping					

An additional option is the multi-selection out of the person list. Go to **Enter details/Select person** (F2) and the multi-selection list will open up. You can narrow down the number of results by activating a **Filter**, e.g., all members female for the ladies day. You can select a single person, confirm with **OK** and the person will be added to your list. You can also mark a person by pressing the spacebar. The marking is indicated by a tick in front of the name. Or mark by double-clicking with the left mouse button. If an entry has been marked by mistake, the marking can be removed in the exact same way (space or double-click). After confirming with **OK**, all players that are marked are transferred to the list.

As shown in the following screenshot, all players are listed in order, with their handicap, gender, home

club and any priorities.

Start list: PC C	ADDIE Cup	p, 1. R	ound - 25.03.20						_		×
<u>C</u> ompetition	Enter det	ails	Sort + Structure	Blo	ock	Buffer	Print	<u>l</u> nfo	Save	Quit	
<b>Group: 1/ 1</b> Tee Time	2	<b>/ 8</b> Name				НСР	Club	,		<u>U</u> ndo e per flight ior.	: 3
1 0:00	aran / insa   suso   smbe   mufr	Susi, S Schm Muste			33.0 20.4 34.4 54 26.4 22.1 36.0	1 1 1	NGOIFCIU Gast Gast Guest A.S.D. PCCA	Golf C	I		
				<b>⊴</b> →						i	

PC CADDIE manages both the Participant list and the Start list in the Start list editor. Enter the players, format the list later or create the start list directly when entering the players by creating the flight parties, which can be done by pressing the Enter key or via *Edit/Insert group at current position* after every 3rd to 4th player. This only works if there are already start times and the time is not 00:00, in which case PC CADDIE assumes that you want to enter the participants in order.

Players that have registered for a tournament by using the internet (PC CADDIE://online Tournament Entry or the Intranet of their respective associations) are added to the tournament, initially in the buffer. They are marked with a blue ball on the right side.

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					_		×
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
	- Player: 7/ 7 Abbr. Nam	le		НСР	Club	autor	natic size Pri	Undo e per flight or.	: 3
1 0:00	aran Arer suso Susi insa Inter smbe Sch mufr Mus	rested, Sarah medding, Benedikt termann, Fritz	20 54 34 26 22	).4 4 4.4 6.4 2.7	Golfclu Guest Gast A.S.D.	. Golf C	S F	۲	
	olya Ollei	ndorff, Yannick	38	<u>.0</u>	PC CA	UDIE (	iast		

Click on the small "i" icon and open the **Data File** tab and you can find out when, how and probably which employee added this particular player to the tournament.

## Enter the players in the person mask

Open the person mask and click on "Competition":

Person: Member, Paul	×	Info: 2 X
Name       mepa       Nc(049.9001.100011       Select No.         Title       Addr.(Pers.)       Select No.         First name       Paul       Select No.         Name       Member       Select No.         Vortext       Select No.       Title         Status       Ist Addr.       Payment       Infgs         Status       Ist Addr.       2nd Addr.       payment       Infgs         Gash registe       Immetable       Intranet         Status       Ist Addr.       payment       Infgs         Homeclub       9053       GolfClub TT       Select No.         Homemember-ID       Gender       I Male       Memo         Age group       6 - Senior       Memo       Status       Status	<ul> <li>✓</li> <li>✓</li></ul>	Info: 2 Search  memo [todo] contact person] Contact ] general overview ] correspondence ] E-Mail ] Changes to the data  22.10.18 15:11 LETT [WPC CADDIE - Club enpty letter.DOC / Dr Paul von Member / 1234 Exa Contact Person (1) : @ANSP  FAM 2 @Member, Petra (04393/3949593)  Register player for multiple competitions  Register player for multiple competitions  Register player (F9) : [mepa Member, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [mepa Member, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [mepa dember, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [mepa dember, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [meta data area]
D.O.B. 15.04.1965 [54] Entry 15.10.2018 [1] • Privacy		from 15.03.20 to 31.03.21
	🔀 Quit	Dptions & FgF5 🔶 New & FgF6 🛇 Edit & FgF7

- 1. Adjust the date range
- 2. Select the tournament

When the registration is entered, you can see it under the competition button as follows:

Register player for multiple competitions	×
Selected player (F9) : mepa Member, Paul TT, Hcp: 32 Competitions: Select comp. F4 25.03.20 1 0:00 PC CADDIE Cup	
Delete     F5     Priority+Time (F7)	le Print F8
Considered data area from 15.03.20 to 15.03.21	🛛 Quit

## Set priorities for starting order

When adding players to your list you can use your cursor keys to jump to the last column **Prior.** :

Start list: PC (	CADDIE Cup, 1.	Round - 25.03.20					_		×
<u>Competition</u>	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
<b>Group: 1/</b> Tee Time	<b>1 - Player: 1/ 9</b> Abbr. Nam			НСР	Club			<b>Undo</b> per flight or.	t 3
1 0:00		rested, Sarah 🛛 🖶 , Someone	<b>≤ →</b> 34.4 54		s Gast s Guest		S	5	8

- Now you could enter any letter to set the starting priority. The priority letters act according to the alphabetical order.
- So use the letter "F" for players that tee off early and letter "S" for players that tee off late. All players without a priority note will be sorted as if they had the letter "M" (= medium).
- But you can use all letters of the alphabet, for instance for players that tee off first you enter the letter "A" or if the tee off last you use "Z".

Please make sure the settings in <b>Sort + Structure</b> and <b>Note priorities</b> are set to	
"Ascending":	

<u>N</u> ote priorities:	Ascending	•
--------------------------	-----------	---

If you select "Ignore", the priorities will not be considered and the start list will be sorted regardless of any priority notes. "Descending" will sort the other way around (from Z to A).

Use the field <TPRIO> in an individual start list layout to print out the entered priorities.

## **Additional priorities**

The ONLINE TOURNAMENT module allows you to set how many players can register together for Scramble. The team numbers are included for online registration, and you will see them under priorities.

**201** is a team number in the following screenshot the, and the player has registered individually (1).

Start list: PC C	ADDIE Cup, 1. Round - 25.03.20	0	—	
<u>Competition</u>	Enter details Sort + Structur	e Block Buffer	Print <u>I</u> nfo Sav	/e Quit
<b>Group: 1/ 1</b> Tee Time	- Player: 5/ 9 Abbr. Name	HCP		<u>U</u> ndo size per flight: 3 Prior.
1 0:00	insa Interested, Sarah suso Susi, Someone aran Arens, Anja heax Heck, Axel kumi Kurze, Mirko 🛉	54 20.4 33.6	Golfclub USGA	S +201-1
	quro Quickert, Rosemarie olya Ollendorff, Yannick smbe Schmedding, Benedikt mepa Member, Paul	 36.0	PC CADDIE Gast	

## Enter additional player details

Prior. 🔺

When clicking on	the button	next to prio	rities, PC CADDIE	will open this mask:
Player Information			×	
<u>P</u> layer:	quro Quickert, Rosemarie	De	✓ <u>□</u> K	
General Op	tions Entry Fee Team	Data File	X Cancel	
<u>N</u> ote:	1	^ ~		
Prize categories:				
<u>C</u> ourse:	(automatic)	•		
<u>T</u> ee colour:	(automatic)	<b>_</b>		
<u>S</u> coring:	(automatic)	-		
Priority :	(F-early, M-middle, S-late, Z-last	)		

You can now add additional information to this participant. You can also set an individual set of tee marker that only this player will play, e.g., if all men play from yellow tees but one senior want to play from the red tees. In this case you enter the **Tee colour** red.

You can also set an individual **Scoring** mode, if one player is playing stroke play in a stablefordcompetition without altering the settings in the handicap limitations.

Comments can also be printed in an individual start list layout by using the field <TINFO>.

## Check handicaps of guests in Intranet

Before you start sorting your start list, it might be important to check all the guest's handicaps, e.g., if you need a sorting according to handicaps. This also prevents the printing of "Home club unknown" on the start list.

You can launch this check in the general settings of the tournament by clicking on *Internet*:

Competition data: PO	CADDIE Cup - 25.03.20 - Participants: 9 / Guests: 5	×
Name, Date, Cours	e	
<u>C</u> ode 20004	Name PC CADDIE Cup	
<u>H</u> oles 18 (3 Date 25.03.2	36 -> 2 rounds, max. 108 -> 6 rounds)	<u> New</u> <u>Change F11</u>
Course 9001.1	Sonnenschein - N 🖶 🛐 🛛 Several courses in play	X Delete F5
HCP limit of the tee	s Men //-/-/	Opy from
	Ladies /-/-/-	🎨 Player
Competition conditi		des <u>S</u> cores
HCP limit	EntryCalculation Hcp <u>f</u> actor	land American America
Playing form	Single Details	Start fee
<u>S</u> coring	Stableford	
	<b>Fi</b> Information	Transfer <u>s</u> cores
Tie	Most difficult/Easiest 9, 6, 3, 1	🕥 Internet
Blind h <u>o</u> le	No	
<u>Annual prize</u>	No <u>C</u> ompet. text Pin positions	
Intern/Guests	Open  _ Prizes/Categories  _ Team scoring	
Qualifying	vorgabenwirksam	🛛 Quit

You will find the button Check players and course in Intranet:

Intranet information (internal ID: 55)	×
Name:     PC CADDIE Cup       Form:     Single - Stableford; 18 Holes     manually	
Information Categories Number of players Entry limits Functions	🧐 <u>С</u> ору <u>F6</u>
Host: Club ID:	S Export
Remark:	
Entry fee info:	
Start: <u>T</u> ee: <u>T</u> ime: o'clock	
Display status: Entry, start and results lists	
Team results: (do not show team scores)	
Qualified electronic scorecard	
Visible as of: Entry list:	
Start list:	
<u>R</u> esults: 0 +1 o'clock	
Last performed:	
Check players and course in Intranet	
Publish entry list in Intranet	
Publish start list in Intranet	
Publish results in Intranet	
Open competition in Intranet     Info text	X <u>C</u> ancel

The result looks like this: A yellow highlighted row shows that the players was found and the handicap has changed. A green row indicates that there are no changes.

If no home club was entered in the player's details the row is white and the information will be "Foreign country". "WRONG ANSWER" in a red highlighted row indicates that the player could not be found with the given home club.

Reque	st player data			×
	Name	Status	C Edit player F7	🛛 Quit
	Interested, Sarah	34.4	Foreign country	
	Arens, Anja	20.4	WRONG ANSWER	
	Susi, Someone	54	WRONG ANSWER	
<ul> <li>✓</li> </ul>	Heck, Axel	33.6	Foreign country	

#### Individual players with "Home club unknown"

If you still have players with "Home club unknown", edit them directly in the tournament, in the start list editor. To do this, open the person's info by pressing the magnifying glass button and perform an intranet check. This requires less "checking effort" than checking all players from a round again on the intranet.

## **Create the Start list**

If all players have been entered you can create an automated start list. Select **Sort + Structure/Sort + Structure** (F4):

Sort and structure	×
Order:       Leave order (just format)       ▲         Handicap, ascending       Handicap, descending         Handicap, descending       Random order         High-Middle-Low       Alphabetical         Clubs       Pre-round-scores, ascending	✓ <u>O</u> K Ladies/ <u>G</u> entlemer <u>P</u> riority
Split women and men:	<u>W</u> ithin group
Note priorities: Ascending	Gruppen- <u>C</u> heck
Sort flights internally Check flight-combination	<u>I</u> urn around
✓ <u>S</u> tructure: <u>Flight size:</u> 3 Player	Special
First flight: <u>T</u> ee: <u>1</u> ime: <u>10:00</u> o'clock	
Timejnterval: 8 minutes (0=Letters)	
(7,8=altering 7 and 8 minutes)	
Break after each 0 .flight: 0 minutes	
Number of engaged holes (2 = 1, and 10, Tee)	X Cancel

#### Order

You can now define the **Order** for your start list. PC CADDIE offers several possible options. We will explain the most important ones:

#### Leave order (just format)

Use this option to only format your start list, i.e., format into flights.

#### **Random order**

Sorting by "random order" can be very useful as you will not have the same players playing within the same flights, compared to the strict order by handicaps. And on the other hand you can avoid an extreme mixing so single handicappers will not have to play with beginners. After you have selected this option you will be asked to enter the handicap categories for the mixing process:



You can define five handicap categories in which the order will take place randomly. In case you do not need all five categories or even only want one general random order, you simply enter "-" as the maximum handicap limit to the last required category and the following categories will be ignored.

#### High-Middle-Low

For quite a number of competitions the option "High-Middle-Low" is a considerable method: The sorting will put one player of each handicap category (according to the number of players) into a flight. So you will have flights with different playing abilities.

#### Separate ladies and men

So	ort and structure		×
	<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	✓ <u>O</u> K Ladies/ <u>G</u> entlemer <u>P</u> riority
	Split <u>w</u> omen and men: <u>N</u> ote priorities:	Ladies and Gentlemen Ladies and Gentlemen Ladies before Gentlemen Men before Ladies	Within group
	Sort riignts internally	Check flight-complination	<u>I</u> urn around <u>S</u> pecial
	First flight: <u>1</u> Timejnterval:	ee: <u>1 I</u> ime: <u>10:00</u> o'clock 8 minutes (0=Letters) (7,8=altering 7 and 8 minutes)	
	<u>B</u> reak after each <u>N</u> umber of engaged	0 .flight: 0 minutes	X Cancel

The option **split ladies and men** sets whether ladies and men should be mixed into the flights together or not.

#### Include time requests (early or late)

Sort and structure		×
<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	Ladies/Gentlemer
Split <u>w</u> omen and men:	Ladies and Gentlemen	Within group
<u>N</u> ote priorities:	Ascending  Ignore	Gruppen- <u>C</u> heck
Sort flights internally	Ascending Descending Ascending with team-number	<u>I</u> urn around
✓ <u>Structure:</u> <u>Flight size:</u>	Descending with team-number	<u>Special</u>
First flight:	Lee: 1 <u>I</u> ime: 10:00 o'clock	
Time interval:	8 minutes (0=Letters)	
Drask siter analy	(7,8=altering 7 and 8 minutes)	
<u>B</u> reak after each <u>N</u> umber of engaged		Cancel

**Note priorities** refers to the possibility to enter start priorities for early or late starters. These priorities are display by letters. You can now define whether these priorities should be considered. "Ascending" is used in the usual case when "F" is early and "S" is late. "Ascending" will sort alphabetically ("F" before "S"). "Descending" will invert the order of priorities. "Ignore" will ignore the priorities.

#### Sorting within a flight

When marking off **Sort within the flights**, PC CADDIE will automatically sort the flights within correctly: Men before ladies, sorted by handicap. Deactivate this option if you are creating a start list based on the results of previous rounds.

#### Check flight combination

The **Check the flight combination** makes sure that family members or even players of the same club do not play in the same flight. When activating this option and after confirming all your selections with **OK**, PC CADDIE will ask you in another dialogue which information should be checked: **Family**, **Names, Club** or other details in **extra info**:

Flight check	×
With flight check PC CADDIE tries to avoid players from the same home club or the same family playing in the same flight.	✓ <u>Q</u> K ★ <u>C</u> ancel
Check this information: Names Eamily Ieam Home clut also for members Extra info Previous <u>c</u> ompetitions	
<ul> <li>Keep families as near as possible</li> <li>When extra info is selected all players which have the same extra info will be separated. This info must begin with the letters 'FT' (flight trennung), for example: FT01.</li> <li>Limit: up: 5 flights down: 5 flights</li> </ul>	

By entering specific details in **extra info** you can define if a person should not be playing with another particular person. Select the person and enter "FT" followed by the search abbreviation of the other person. Example: If "Joe Blogg" does not want to play in one flight with "John Public", you select "Joe Blogg" and add "FTpujo" to his **extra info**.

The option **previous competitions** of the flight check will evaluate whether players have been playing together in a tournament and make sure they do not this time. The last seven competitions will be considered for this check. In the tournament list that will follow, you can select as even more competitions to be checked.

On the other hand, if you want to have two players automatically grouped together (recurring), use additional information that begins with "FG", e.g. FG01 or, as above, the search abbreviation of the other person.

### Format = Assemble flights in a start list

Define how your start list should be flighted with the **Sort + Structure** menu:

Sort and structure		×
<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order	<u> <u>o</u>k</u>
	High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	Ladies/ <u>G</u> entlemer
Split <u>w</u> omen and men:	Ladies and Gentlemen	
<u>N</u> ote priorities:	Ascending	Gruppen- <u>C</u> heck
✓ Sort flights internally	Check flight-combination	<u>I</u> urn around
✓ <u>Structure:</u> <u>Flight siz</u>	e: 3 Player	Special
First flight:	Iee: 1 Iime: 10:00 o'clock	
Time <u>i</u> nterval:	8 minutes (0=Letters)	
<u>B</u> reak after each	(7,8=altering 7 and 8 minutes)	
<u>N</u> umber of engage	ed holes 1 (2 = 1, and 10, Tee)	X Cancel

In the field **Flight size** you have to enter the number of players that make a team. Set the time and the tee where the first flight will begin with **First Flight. Time interval** defines the time gap between two flights. You could also enter several time intervals, separated by a comma. For instance, if you enter "7, 8", the flights will alternate with the time interval of 7 and 8 minutes. In this case every second tee time will be at 15, 30, 45 and 60 minutes. Another important fact to set is the **Number of engaged holes**: This is where you define the number of tees that should be used to tee off. So if you want to start from tee 1 and 10 you enter "2" holes. Which holes should be used exactly will be asked afterwards. But with two holes PC CADDIE will automatically set "1" and "10".

#### Shotgun start

To set up a shot gun start list you enter the **Number of engaged holes** (usually "18" or "9" for a 9 hole course). If you enter a **Time interval** of "0", PC CADDIE may format like this:

Hole, 10:00A o'clock - 1st hole, 10:00B o'clock -Hole, 10:00A o'clock - 2nd hole, 10:00B o'clock -Hole, 10:00A o'clock - 3rd hole, 10:00B o'clock -Hole, 10:00A o'clock -Hole, 10:00A o'clock - . . . - 18th Loch, 10:00A o'clock

You can change the letters as well as the times by overwriting it with a different letter or blank. Letters are always entered right behind the time. After confirming all your settings with **OK** you will be asked how you want to allocate the holes:

Shotgun holes	×
Define the shotgun holes.The first holes are double engagedHoles:125694781810111213141516173	✓ <u>D</u> K ★ <u>C</u> ancel

Now you can enter the required holes - start off with the holes that could be used twice. PC CADDIE will save your order of holes and suggest it the next time.

#### **Confirm format - more queries**

Confirm all your settings with **OK**. After that a number of queries concerning the structure will follow. You could, for example, enter a larger number of players:

Define maximum number of players	×
You can enter here a larger number of players than already registered in the start list. Empty fields will be inserted! <u>N</u> umber of players:	✓ <u>OK</u> ★ <u>C</u> ancel

If you enter 101 players and want three players in each team, you will have two players left:



In this case PC CADDIE will ask if you want a twosome to start off with or if you want to leave the players at the end. There will also be the re-check of your flight combination, so you can adjust the settings of information.

### **Special individual functions**

Sort and structure		×
<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order	<u>✓ <u>0</u>K</u>
	High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	1 Ladies/ <u>G</u> entlemer 2 <u>P</u> riority
Split <u>w</u> omen and men:	Ladies and Gentlemen	3 Within group
<u>N</u> ote priorities:	Ascending	4 Gruppen-Check
Sort flights internally	Check flight-combination	5 <u>T</u> urn around
✓ <u>Structure:</u> <u>Flight size</u>	ze: 3 Player	6 <u>S</u> pecial
First flight:	Iee: 1 Iime: 10:00 o'clock	
Time interval:	0 minutes (0=Letters)	
<u>B</u> reak after each	(7,8=altering 7 and 8 minutes) 0 .flight: 0 minutes	
<u>N</u> umber of engag	ed holes 18 (2 = 1. and 10. Tee)	X <u>C</u> ancel

If you click on any of the five buttons on the right-hand side all other settings of the main structure mask will be ignored - only the selected function will be processed:

#### 1. Ladies/Gentlemen

When you click on *Ladies/Gentlemen* you can select how ladies and gentlemen should be separated:

Split women & men 🛛 🗙
Select how the sexes should be split:
Women before men
Men before women
X <u>C</u> ancel

#### 2. Priority

This function will sort your list according to the set priorities (early/late). The order within the same class of priority will be kept.

Order of priorities	×
Select how the priorities should be sorted:	
<u>D</u> escending	)
X <u>C</u> ancel	)
1	

#### 3. Within group

Click this button and PC CADDIE will sort the flights within - gentlemen before ladies and in order of handicap.

#### 4. Group check

With this button you can launch the flight combination check to make sure that, for example, family member do not play in the same flight.

#### 5. Turn around

Select this option and the order of the start list will be inverted.

#### 6. Special

This option offers a special sorting mode which can be selected with the buttons *Fields*.

Special sorting X
Please enter a field for the order:       ✓ ①K         ✓ Activate special sorting       ✓ ②Cancel         Allocate field: <club.>       ✓ Eields F2</club.>

#### Teams in the Start list editor

As soon as the Start list has been completed in the Start list editor, you will see the sum of the EGA requirements of the players per team on the left side (rounded to whole numbers). In a four-player game, you can also see the addition of the EGA requirements of the pairs on the right.

Start list: PC C	Start list: PC CADDIE Cup, 1. Round - 25.03.20 — 🗆 🗙								
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
	Group: 1/3-Player: 1/9 Tee Time Abbr. Name HCP Club Prior.							t: 4	
1 10:00	insa <mark>Inte</mark> suso Susi	rens, Ania 👘 rested, Sarah i, Someone uickert, Rosemar.	<b>S</b> - 20. 34. 54 	4 3	Gast Guest		S	5	1

## **Rework the start list**

### Swap players

After you have completed sorting and formatting your start list you should check whether the flight combinations fit your wishes:

S	Start list: PC CADDIE Cup, 1. Round - 25.03.20 — 🗌 🗙												
<u>c</u>	ompe	tition	Enter de	tails	Sort + Struc	ture l	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
	Group: 1/3-Player: 1/9 Tee Time Abbr. Name							HCP	Club	auton		<u>Undo</u> e per flight ior.	: 3
	1	10:00			endorff, Yanni.		36.0 20.4		🛉 PC CA	DDIE (	Gast		
			aran quro		ens, Anja iickert, Rosema	ar.			≉ ∔				
	1	10:08	mepa kumi insa	Kurze	ber, Paul e, Mirko <mark>ested, Sarah</mark>		32.0  34.4		🛉 TT 🛉 Golfeli 🌲 Gast	иbUSG	A	R	

If you need to swap places of two players you simply overwrite the search abbreviation of the one person with the other one and they will switch places:

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					—		×
Competition	Enter details	Sort + Structure	Block	Buffer	Print	Info	Save	Quit	
Group: 1/ 3	- Player: 1/ 9					~	🖺 atic size	<u>Undo</u> e per flight:	3
Tee Time	Abbr. Nam	ie		HCP	Club			ior.	
1 10:00	insa 🛛 ** Ol	lendorff, Yanni. 🛛 🗧	36.0	) 110	🛉 PC CA	DDIE G	ast	FI -	
	_	NEW PERSON <<	_						
	Interested,	Sarah	#Gast		34.	4 insa;i	nsa		ins
1 10:08	mepa Men	nber, Paul	32.0	) 120	🛉 TT				
	kumi Kurz	e, Mirko			🛉 Golfelu	ib USGA	4	1	
	insa <mark>Inter</mark>	ested, Sarah	34.4	1	🛊 Gast				_

If you overwrite a search abbreviation with a player that has <u>not</u> yet been added to the list, the person will be replaced. This is how you correct wrong input. If you empty the field with a search abbreviation completely the person will be deleted from your list.

As a default setting the *Stop Swapping* mode is activated. But the following notification allows you to overwrite this.

Attention: Stop swapping	×								
Member, Paul									
This person is already entered at this time on the start list: Flight: 1 - Tee 1 - 10:00 o'clock									
Swap person nevertheless									
X <u>C</u> ancel									

### Swap players from buffer

A very handy method is using the buffer to swap players. Double-click the player in the start list, click the blue arrow next to the handicap or select **Buffer/Move this player to buffer** and the player will be moved to the buffer window:

Buffer X	
Buffer (1) Waiting list (0) Unanswered intranet registration (0) Cancelled (0)	
🗲 guro 🛛 👫 Quickert, Rosemarie 🛛 - 🔍 🗍	

A gap will remain in your start list:

Start lis	Start list: PC CADDIE Cup, 1. Round - 25.03.20 — 🗌 🗙									
<u>C</u> ompe	tition	Enter deta	ils Sort + Structure	e Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
	: <b>1/3</b> Time	- Player: 3/ Abbr. N			HCP	Club			<u>U</u> ndo e per flight ior.	: 3
1	10:00	-	Ollendorff, Yanni. Arens, Anja	36.0		🛉 PC CA	DDIE 0	iast		
				<u></u> ]→		"			5	-
1	10:08	kumi K	lember, Paul urze, Mirko <mark>iterested, Sarah</mark>	32.0  34.4		† TT † Golfclu ≰ Gast	ıb USG	A	R	1

## Swap in pairs

Activate the option *Swap in pairs* if you need to change the flight combinations in a foursome competition:

1				
🔽 Stop loading	Stop removing	🔽 Stop swapping	🔽 Swap pairs	

The pairs will be kept together. If you want to swap single players you need to deactivate the option *Swap in pairs.* 

## Swap flights

Swapping flights is basically done the same way you swap single players. You only have to overwrite the tee time with the new time:

Start I	Start list: PC CADDIE Cup, 1. Round - 25.03.20 —									×
Comp	etition	Enter detai	ls Sort + Structure	Block	Buffer	Print	<u>l</u> nfo	Save	Quit	
	Group: 1/3-Player: 1/9 Tee Time Abbr. Name HCP Club Prior.								: 3	
1	10:16	smbe **	Schmedding, Bener <del>ei</del>			ŧ			H	-
			ember, Paul Heck, Axel	32.0 33.6		🛉 TT 🛉 Golfelu	ıb USG.	A		
1	10:08	olya ** kumi **	Ollendorff, Yanni. Kurze, Mirko Arens, Anja	36.0  20.4	110	🛉 PC CA 🛉 Golfelu	ddie g	iast	FQ	
1	10:16	insa Ir	terested, Sarah usi, Someone	34.4 54		🛔 Gast 🛔 Guest		S		

If this explicit tee time does not exist yet, the flight will be switched to this time and inserted in between the other flights. Otherwise this mask will open:

me ad	justment	×							
You have changed the start time on tee 1 -10:16 o'clock.									
1	There is already a flight here at this time How do you wish to proceed?								
	Insert only single flight								
	<u>S</u> wap flights								
	Adjust all following flights from here								
Join flights									
Cancel									

You can now decide whether you want to insert the flight, swap two flights, adjust all following flights from here or join both flights into one.

#### Shift tee times for breaks

In case you need to shift tee times to insert breaks you simply go to **Sort + Structure/Break** (F6):

Break / Interval X							
Enter the time into which this flight should be moved! All following flights will be adjusted accordingly:	<u>OK</u> <u>Cancel</u>						
Iee:     1       Time:     10:00     o'clock       Additional interval:     10     minutes							

Now you enter the times (and maybe also the tee) from where you want to start to shift everything down to add a break to your start list.

Having defined a block it will consider the first flight of this block and not the flight where your cursor is. You can also add breaks by changing the time of a tee time. After confirming with enter, PC CADDIE will ask if you only want to shift this one flight or if you want to move all flight down as of this time. To add your break you will have to select the second option.

### Add and delete entries

Empty slots in a flight will not be deleted automatically as long as the flight does not exceed the flight size. The value of **automatic flight size** will be set automatically in **Sort + Structure.** Hit the key **Del** to delete an empty slot from a flight. Hit the **INS** key to add an empty slot to the current cursor position. With **Ctrl + INS** you can insert a new flight and all following flights will be shifted down. If you delete the last entry of a flight the next flight will jump to this time and all following flight will be adjusted.

Go to *Edit details* and you can do all the above with your computer mouse. But we recommend using your keyboard.

### Buffer for swapping and structuring

Your start list editor has a buffer so you can buffer the players. Not only can you use the menu option **Buffer** but also the key combinations **Ctrl + right arrow** or **Ctrl + left arrow** to move players to the buffer or back to the start list. With the key combination **Ctrl + up arrow** and **Ctrl + down arrow** you can scroll within the buffer even though the main editor window is active. When saving everything in the buffer will be saved too.

If you overwrite the search abbreviation of a player in the start list with a player in the buffer they will swap places between start list and buffer.

#### Structure the start list using the buffer

When creating a start list you could also proceed as follows: Start off by entering all players to the one big flight. Now set the flight structure using **Sort + Structure**. The players should still be in the main editor window while you are doing this to ensure the structure will be generated according to the number of players.

#### Now click Buffer/Move all players to buffer:

Buffer X								
	Buffer (	9) Waiting list (0) U	Jnanswer	ed intranet registration	(0) Cancelled (0)			
	1/9							
	🗲 aran	Arens, Anja	20.4	\$				
	smbe	** Schmedding, Benedikt	26.4	<b>†</b>				
	mepa	Member, Paul	32.0	🛉 TT				
	heax	** Heck, Axel	33.6	🕈 Golfelub USG				
	insa	Interested, Sarah	34.4	🌲 Gast				
	olya	** Ollendorff, Yannick	36.0	🛉 PC CADDIE 6				
	suso	Susi, Someone	54	🛊 Guest 🛛 S				
	kumi	** Kurze, Mirko		🏦 Golfclub USG	N			
	quro	Quickert, Rosemarie		*				
	ļ							
Г				,				
	+	In list 🔶 <u>N</u> e	W	<u> </u>	× <u>R</u> emove			
	++	All <mark>ji i</mark> nf	0	2 <u>S</u> ort	⊠ <u>C</u> lose			

The buffer is now filled and the start list empty. You can now - if required - sort the players in the buffer with the button **Sort:** 

Sort buffer	×
How should the buffer be sorted?	
Order: Handicap, ascending Handicap, descending alphabetical by clubs by age class by date of birth Pre-round-scores, ascending Pre-round-scores, descending Time of registration Time of deletion	<u>X</u> <u>C</u> ancel
Priorities: Ignore Ascending Descending	
Ladies/Men: Ignore Ladies before Gentlemen Men before Ladies	
Sort the order automatically (F4)	
🗧 In list 🔶 <u>N</u> ew (	<mark>♀ <u>E</u>dit <mark>≻ <u>R</u>emove</mark></mark>

2

<u>S</u>ort

×

<u>C</u>lose

All

H

<u>I</u>nfo

**++** 

The button *In List* moves the selected player back to the start list. *Edit* will open the person's input mask so you can adjust any kind of information. *Delete* will remove the player.

You can use the buffer to allocate the players to the flights: If you have selected an empty slot in the start list to move a player from the buffer to this slot (double-click or **Ctrl + left arrow**), PC CADDIE will then jump to the next available empty slot so you can easily add players to the existing ones.

If you have selected a filled slot, the player from the buffer will be inserted below this selection. Of course you can use all other functions such as swapping, adding breaks etc. when manually creating the start list.

### **Check flight combination**

PC CADDIE can automatically check the flight combinations when creating the start list. This will ensure that players with the same family name, relatives and players from the same club do not play in the same flight. If necessary they will be swapped with one of the next flights. In case this is not possible, two asterisks will indicate these players (instead of placing them as single players in a flight):

Start list: PC CA	Start list: PC CADDIE Cup, 1. Round - 25.03.20 — 🗌 🗙								
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: 17 3 - Player: 37 9 Tee Time Abbr. Name HCP Club Prior.						t 3			
1 10:00		hmedding, Bened. :ck, Axel	26.4 33.0	1 92.0 S	n Golfelu	ıb USG	A		
1 10:08		ber, Paul endorff, Yanni.	32.0		🛉 TT				

These asterisks will disappear if you go to **Enter details/Edit person** (F7) and click **Cancel** or Escape to exit the mask. You can also simply leave the asterisks as they have no further effects, they just remind you to take a second look at the flight combination.

The flight check will be performed when completing the **Sort + Structure** process as long as the option is activated. But the flight check can also be launched individually: Go to **Sort + Structure** and click the button **Flight-Check** on the right-hand side.

### **Retype existing lists**

If you want to adopt a list that was already created manually, maybe written onto a piece of paper, you just enter the player one by one using their search abbreviations. Hit **Enter** to skip forward. Having entered the last player to a flight press **Ctrl + PgDn** to start a new flight.

If you have a list with threesomes you can enter the number "3" to the **automatic flight size** and after every third player a new flight will start when pressing **Enter** or **Tab** to continue - you do not need **Ctrl +PgDn** in this case. But if you do use **Ctrl + PgDn**, there will not be a new flight but an extra slot to enter a fourth player.

PC CADDIE will offer a time interval of 8 minutes for the second flight. This suggested time can be

changed. The following tee times will then be continued with the same time interval. After you have completed the input of the start list you should press **F5** to sort within the flights if the competition is a single tournament.

Switch of the swap stop before you start entering the players.

## Sorting order with shotgun start

The management of the tees in a start list of a shotgun competition enables sorting with priorities for the tee as well as priorities for the tee time, in case there should be several starting groups.

### Sorting - Priority of tee

With a shotgun start you usually start from all tees (e.g., 9 holes) simultaneously. At some tees there will be two flights teeing off after one another. The sorting order may look like this:

- 1st hole, 10:00A o'clock 1st hole, 10:00B o'clock -
- 2ns hole, 10:00A o'clock 2nd hole, 10:00B o'clock etc.

Flight "A" begins and then Flight "B" will follow at the first tee. This kind of structure can be created automatically using the format function **Sort + Structure** and then entering the **number of engaged holes**, in our example: 9 (simultaneous start from 9 holes). Of course you can also start from 16 holes or from 18 holes.

▼ <u>S</u> tr	ucture: <u>F</u> light size:	2 Player
	First flight: <u>T</u> ee:	1 <u>I</u> ime: 10:00 o'clock
	Time interval:	8 minutes (0=Letters)
		(7,8=altering 7 and 8 minutes)
	<u>B</u> reak after each	0 .flight: 0 minutes
	Number of engaged holes	9 (2 = 1, and 10, Tee)

### Sorting - Priority of start time

If you have more than one starting group your order should look like this:

- 1st hole, 10:00 o'clock 2nd hole, 10:00 o'clock 3rd hole, 10:00 o'clock -...
- 1st hole, 02:00 o'clock 2nd hole, 02:00 o'clock 3rd hole, 02:00 o'clock -...
- To get this kind of sorting you have to enter a "." (dot) for the second starting group.
- If you have a 9 hole course and want to start again at lunchtime, make the initial starting grid for 18 holes (although you only have 9 holes) and later assign Tee 10 hole "1.", shifts the time to 2:00 p.m., and select *move everything here*; this results in a shotgun start for 9:00 a.m. and one for 2:00 p.m.

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					_		×
<u>Competition</u>	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: 2/ 5 Tee Time 1 10:00 1. 10:00	c	justment have changed the s n tee 2 - 11:00 o'c w do you wish to pro	lock.	×	Club Golfclu Gast TT PC CA	autor ıb USG	natic size Prid A	Undo per flight: or.	
		djust only this single t all following flights I	_						
	×	<u>C</u> ancel							

Please note the difference between "" and ":" in this section, as they will be right behind the hole number depending on the settings of the start list. These signs characterize the sorting order.

If you enter a ":" right after the hole number it will turn into "Tee 1:" for the third starting group. Removing the dot and the colon will take you back to the first group (no dot next to "Tee 1"). "Tee 1". will come right after "Tee 18" and "Tee 1:" after "Tee 18." (Sorting order: 1 - 2 - 3 - ... - 18 - 1. - 2. -3. - ...18. - 1: - 2: - 3: - ...18:).

For a shotgun start with several starting groups you can let the sorting be done automatically, go to **Sort + Structure**: In the field for the maximum number of holes you enter the number of holes multiplied by the number of starting groups (for 18 holes and two starting group that would be "36"):

Sort and structure		×
<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	✓ <u>D</u> K Ladies/ <u>G</u> entlemer <u>P</u> riority
Split <u>w</u> omen and men:	Ladies and Gentlemen	Within group
<u>N</u> ote priorities:	Ascending	Gruppen- <u>C</u> heck
Sort flights internally	Check flight-combination	<u></u> <u></u> urn around
✓ <u>Structure:</u> <u>Flight size</u>	: 3 Player	Special
First flight:	<u>I</u> ee: <u>1</u> ime: <u>10:00</u> o'clock	
Time interval:	8 minutes (0=Letters)	
<u>B</u> reak after each	(7,8=altering 7 and 8 minutes) 0 .flight: 0 minutes	
<u>N</u> umber of engage	d holes 36 (2 = 1. and 10. Tee)	X <u>C</u> ancel

After the formatting process use **Break** to add the first flight at the position of the 19th hole "Tee 1." and instead of the start time for the first group the time for the second group.

## Tee distribution at shutgun start

Shotgun holes	×
Define the shotgun holes. The first entered holes will be engaged at first double!Holes:518612137891011213141516174	✓ <u>O</u> K ★ <u>C</u> ancel

The holes are filled in the order entered here.

For example, if it is a smaller tournament where not all tees are occupied, you can use this to determine which holes you want to use for the start.

If it is again a large tournament where some holes are occupied twice, you can use this to determine which holes should be doubled.

## **Competition with several rounds**

### Copy start list from other round

The start lists of competitions with several rounds have to be edited individually. So if you go to *Competitions/Enter players, Setup start list* you will be prompted to select the round you want to edit:

Select round	×
PC CADDIE Cup Select which round should	
be entered:	X Cancel
Round: 1. Round 2. Round	

When creating the start list for the first round the other start lists will still be empty. Of course the same players will probably be playing the following rounds. So to avoid typing in the names all over again you can copy them from the previous round. There are two different ways to do so:

• Copying will sort the players according to their results of the previous round. This option is also

used for a cut line (*Cut*).

• Copying with flight combinations (*Load*).

## Sort by results of previous rounds, Cut

With "Load from preliminary round", individual tees for individual players who were added in the preliminary round are taken over!

If you want to sort the following round according to the results of the previous round, proceed as follows: Make sure you are working in the empty start list and select *Edit details/Cut from previous round* (F3):

Cut	×
Select from which competition the cut should be done!	Ontinue
CAREFUL: By using a cut the start list will be replaced!	X <u>C</u> ancel
20004 PC CADDIE Cup, 25.03.20	

Now you select the competition of which you want to copy the players from. Usually it will be the same tournament you are working with right then, so you just click **Continue:** 

Define Cut	×
PC CADDIE Cup	
Source round: 1. Round ▼ Compute total scores Players from all rounds Players from all round	<u>♥ UK</u> <u>③ B</u> ack

HINT: The check-mark **players of all rounds** is important if you want, for example, to add into round 3 all players from rounds 1 and 2 (then cut from round 2 and all preliminary rounds. Players from

round 1 who did not play round 2 will also be included)!

Now you have to define the exact procedure for the cut mode: Start off by selecting the **Source round** you want to copy the players from. Note that if you copy into the third round you probably want a cut of the previous results all together. In this case mark off **Compute total scores**.

<u>C</u> ut:	Gross-Descending	•
	vith same scores	

Now you have to select the *Cut* order: "Descending" will put the players with the worst scores first and the best players at the end of the start list. "Gross descending" is the usual choice. The option *with same scores* usually stays activated, as it ensures that players will be included if they have the same score as the last player to make the cut.

<u>C</u> ut:	Gross-I	Descending			-
	🔽 with	n same scores			
	Numbe	Category	F	ICP from	to
	20	All ladies		Pro	
	20	All men	- 🖸	Pro	
	0	(neutral)	- 🖸	Pro	
	0	(neutral)	- 🖸	Pro	
	0	(neutral)	- 🖸	Pro	
	0	(neutral)	- 🖸	Pro	
	🔽 Loa	ad in seperate gro	ups		

In **Number** and **Category** you can enter the required number of players for each category. In our example above we have defined that only 20 of the best ladies and 20 of the best gentlemen make the cut. **Load in separate groups** will load these categories separately, i.e., in our example the gentlemen will be first and then followed by ladies. If this option is deactivated, the players will be sorted strictly by their results, regardless of any cut categories.

If you want to load all players and do not want a cut and no limit, just leave the general cut settings as they are: **Number** "999" and **Category** empty. Confirm everything with **OK** and the players will be loaded. All players will be in one and the same big flight. On the right-hand side you can see the previous results that were used for the sorting:

Competition       Enter details       Sort + Structure       Block       Buffer       Print       Info       Save       Quit         Group:       1/1 - Player:       1/9       automatic size per flight:       3         Tee       Time       Abbr.       Name       HCP       Club       Prior.       3         1       0:00       suso       Susi, Someone       S4       6 Guest       S       1         kumi       Kurze, Mirko       -       6 Golfclub USGA       0	Start list: PC C	ADDIE Cup,	2. Round - 25.03.20					—		×
Group: 1/ 1 - Player: 1/ 9         automatic size per flight: 3         Tee       Time       Abbr.       Name       HCP       Club       Prior.         1       0:00       suso       Susi, Someone       St       Golfclub USGA       Image: Someone         kumi       Kurze, Mirko	<u>C</u> ompetition	Enter detai	ls Sort + Structure	Bloc	k Buffer	Print	<u>l</u> nfo	Save	Quit	
1       0:00       suso       Susi, Someone       Image: Susi, Someone       Image: Susi, Someone         kumi       Kurze, Mirko        Image: Golfclub USGA       Image: Susi, Someone       Image:								natic size	e per fligh	it 3
kumi       Kurze, Mirko        Image: Golfclub USGA       Image										
		kumi Kı heax H olya O quro Q insa In mepa M aran Ar	urze, Mirko eck, Axel Ilendorff, Yannick uickert, Rosemarie terested, Sarah ember, Paul rens, Anja		- 33.6 36.0 - 34.4 32.0 20.4	n Golfclu n Golfclu n PC CA ∎ Gast	ьUSG	A	ji I	0 0 0 0 0 0 0 0

Now you continue as usual and select **Sort + Structure** to create your start list. In this case we recommend using the **Order** option "Leave order" and deactivating **Sort flights within**.

### Load players including flight structure

This option is recommended if the second round will be the same or similar to the first round. Copy the start list into the second round via *Enter details/Load starting list from another competition or round* or press the keys *Shift* + *F3*:



Now select *Load with flight structure* if you want the identical flight structure.

Use the second button **Load with results**  $\rightarrow$  **Cut** to define a cut limit (see previous chapter) and the players will be loaded including their previous scores but without the flight structure.



Select the source competition for your start list, confirm your selection with **OK** and select the source round:

Select round	×
PC CADDIE Cup Select from which round you wish	
to load:	X Cancel
Round: 1. Round 2. Round	

You will then see the same start list as the first round in the second round. This list can now be adjusted as required. So if you need a new start time, go to the first flight and select **Break.** Enter the new start time. Often the second round is starting the other way around compared to the first round. For this go to **Sort + Structure** an click the button on the right-hand side **Invert.** 

### Working with blocks

If you only want to edit a part of your start list you can mark it with a block. All formatting functions will then consider this block only. This can be useful if you only need to restructure a specific part of your start list but the rest should stay as it is. You can insert a block via **Block/Begin of block marking** (F9). For this you will have to scroll to the position where the block marking should begin. Now select the player who will be the last entry of the block. Select **Block/End of block marking** (F9) to close the block. The block will be displayed as a continuous double line on the left-hand side of the screen:

Start list: PC C	ADDIE Cup, 2	Round - 25.03.20					_		×
<u>Competition</u>	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
<b>Group: 1/ 1</b> Tee Time	- Player: 4/ 9 Abbr.	ie		HCP	Club		natic size Pri	<u>U</u> ndo e per fligh or.	t 3
1 0:00	kumi Kurz heax Heo	, Someone re, Mirko k, Axel ndorff, Yannick 🛛 🖶	54  33.1 ≤ → 36.1	6	Guest Golfclu Golfclu PC CA	ьUSG.	A	FI.	0 0 0
	quro Quio insa Inte mepa Mer	skert, Rosemarie rested, Sarah nber, Paul	 34 32.1 20.1	4 D	Gast TT				0 0 0

To remove the marking select **Block/Remove block marking** - or use the key combination **Shift + F9.** 

### Load stoppage



The load stoppage which can be activated with **Stop load** is important when reworking on your list (swapping players). For example, you want to swap the already registered player "Member Paul" to a different flight and you accidentally enter the search abbreviation of "Member Petra" to this position, even though this person is not supposed to be participating the tournament. She would then be added to the selected position in the start list, whereas the player that was supposed to swap with "Member Paul" would be deleted from the start list. With an activated load stoppage a warning box would appear where you can confirm whether this new player should be added to your list.

Attention: Stop loading	×
Member, Petra	
This person is not yet entered in the start list and 'Stop loading' is activated.	
Enter player nevertheless	
X <u>C</u> ancel	

That is why this function is so important, because if a mistake was made it is not that easy to trace it back and correct it.

#### Swap stoppage

▼ Stop loading ▼ Stop removing	🔽 Stop swapping	
--------------------------------	-----------------	--

Tick off the option **Stop swapping** and PC CADDIE will activate the swap stoppage, which is

important while entering the players.

We will illustrate this function with an example: Member Paul has the search abbreviation "mepa" and Member Petra "mepe". The former has already been entered to the start list and a few flights later it is the turn of Petra. Now the user could make the unknowingly mistake entering the search abbreviation "mepa", not considering the fact that this is already in use by Paul. This would mean that Paul will be swapped to the current position and Petra would not appear at all.

With an activated swap stoppage you can avoid these kinds of mistakes. A warning box will appear asking, whether this was a typo or you really want to proceed with the swap:

Attention: Stop swapping	×
Member, Paul	
This person is already entered at this time on the start list: Flight: 1 - Tee 1 - 10:00 o'clock	
Swap person nevertheless	
X <u>C</u> ancel	

## Assignment of keys

With the arrow keys you can move the cursor within and between your entries. If you exceed the end of your list when pressing **Tab**, **down arrow**, **Enter** or **PgDn** and a new entry line will be added. If you hit **PgDn** a new Flight will be started.

All these functions can be controlled with your computer mouse too, but it is usually faster if you remember the main keys. The following keys are assigned in the editor:

Enter or Tab	Jump to next entry.
Ctrl + Enter	Add new entry line below current cursor position.
PgUp	Jump to previous beginning of flight.
PgDn	Jump to next beginning of flight. Is there no next flight, a new one will be started.
Ctrl + PgDn	Add new flight below current cursor position. Following entries up to the next starting flight will be included to the new flight. All following flights will be moved further down.
Pos1	Jump to beginning of entry field.
End	Jump to end of entry field.
Ctrl + Pos1	Jump to beginning of list.
Ctrl + End	Jump to end of list.
Ctrl + Del	Delete selected player from list.
F2	Open person selection window to select players.
F3	Cut
downward arrow + F3	Copy from another competition.

upward arrow +Invert order: This key combination will invert the structure. The structure will maintain as is.F5Sort within flight: Sorts the players within a flight	order of players within the flight
Sort within flight: Sorts the players within a flight	
ladies at the end (this is done automatically when	
upward arrow +Delete flight structure: This key combination willF5start list. The players and their order will remain	-
F6 Insert breaks / Change tee: This key equates to the	he menu item break.
<ul><li>upward arrow +</li><li>F6</li><li>Change flight size: This key combination equates enables you to change the size of the flight where order of the players in the list will remain and the accordingly.</li></ul>	e the cursor is positioned. The
F7 Edit person details: Equals enter details/edit personal data can be adjusted. This edi Persons/new, edit, delete. The important th person's data are saved by the program, no matt you are doing this. That is why you can correct ty you add newly will be saved to the main database.	itor is a simple version of ing is that all adjustments of a ter in what part of the program ypos immediately. Even players
<ul> <li>Find a player in the list: This key combination equiparts</li> <li>F7</li> <li>F7</li> <li>F7</li> <li>Find a player in the list: This key combination equiparts</li> <li>F7</li> <li>F7&lt;</li></ul>	An edit window will open where the tee time and hole as well as
<ul> <li>F8</li> <li>F8</li> <li>This key enables to launch several printing functi</li> <li>→ Printing a provisional start list ("Quick list") as</li> <li>→ For bigger tournaments you can print a "Radio with names and abbreviations in the starting order fields for the scores to each hole and each person</li> <li>→ During the competition you could have radio of hole that will note the scores of the players last t competition committee.</li> <li>→ The score headquarters will have just the same We advise against typing these scores into the provident of them down first, just to avoid mistakes.</li> <li>→In addition you can also jump straight to the "contant scorecard function.</li> <li>Please note that before printing start lists of be saved.</li> </ul>	an overview. list". This will include all players er as well as a table with entry n. perators positioned every third three holes and send them to the e list and can enter all the scores. rogram directly without writing orrect" start list print function
F9 Begin/End of block marking	
Shift + F9 Remove block marking	

## **Remember to save**

While you are entering all the players you should press *Save* from time to time, just to make sure that the current entry status is saved.

## Reactivate start list

Use the button **Undo** to reactivate previous versions of your start list:

tart list: PC C/	ADDIE Cup, 1. Round - 25.03.20		_	×
ompetition	Enter details Sort + Structure	Block Buffer P	Print Info Save	Quit
Group: 3/3	-		automatic rize p	
Tee Time 1 10:00	Abbr. Name mepa Member, Paul heax ** Heck, Axel olya ** Ollendorff, Yanni.	32.0 102 🛉 I 33.6 🖉 🛱 G	Club Prior.	
2 10:00	smbe ** Schmedding, Bened.	26.4 134		19
5 10:0	Date         Time         Minutes age           19.03.20         18:47:07         02:32           19.03.20         18:49:18         00:21           19.03.20         18:49:28         00:11           19.03.20         18:49:38         00:01		✓ <u>D</u> K ★ <u>C</u> ancel	FI &

## **Block players for start lists**

In the person mask you can use the info tab and the **extra info** to block a player for a tournament. Click on the selection button next to this field:

Additional info	×
GM Golfmagazin itee:L itee:L CP Carpool YJ Youths&Juniors Tournamen Tournament warn:CB Course bab warn:memo See memo CT Club team BRI Bridge player warn:Gratis VIP:Manager DGV_NO_RR not on card Wint Winter golfer WT Women team	✓ <u>D</u> K ★ <u>C</u> ancel ♣ <u>Print</u> F8
Special:         Image       New       F3       Image       F7       X       Delete       F5         Sort       Up       Down         Exchange or delete information         Add info to special person groups	

Now click **New** (F9) to create a new information. Here an example for a player whose registration for a tournament should be declined:

Define group	×
Define the group please:         Short:       trb         Long :       Tournament registration blocked         Automatic warning by selection of the person	✓ <u>O</u> K ズ Cancel

Confirm your entry with **OK**. Then add this extra info to the relevant people. Now these players will not be able to register for a competition via Intranet. For your internal blocking list, i.e. when adding tournament-players, you should also create an extra info like this:

Define group	×
Short:       CB         Long:       Course bloking         ✓       Automatic warning by selection of the person	✓ <u>O</u> K ★ <u>C</u> ancel

So when selecting a person that has this extra info, a mask with this info will pop up. Your employee will then know, that this player should not be added to the start list.